

Case Number:	CM15-0006824		
Date Assigned:	01/26/2015	Date of Injury:	10/21/2010
Decision Date:	03/13/2015	UR Denial Date:	12/26/2014
Priority:	Standard	Application Received:	01/13/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 33 year old female, who sustained an industrial injury on 10/21/2010. On provider visit dated 12/23/2014, the injured worker has reported a frozen shoulder with loss of functions after debridement of right rotator cuff, subacromial decompression and acromioclavicular arthroplasty. The diagnoses have included right shoulder arthroscopy, right shoulder debridement of the right rotator cuff, subacromial decompression and acromioclavicular arthroplasty. Treatment to date has included refills of current prescribed medication and urine drug screen. On 12/26/2014 Utilization Review non-certified Motrin, Soma, Prilosec and urine drug screening. The CA MTUS, ACOEM were cited.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Soma 350mg #120: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Carisoprodol (Soma), page 29.

Decision rationale: Per MTUS Chronic Pain Guidelines on muscle relaxant, Soma is not recommended for mild to moderate chronic persistent pain problems including chronic pain (other than for acute exacerbations) due to the high prevalence of adverse effects in the context of insufficient evidence of benefit as compared to other medications. Guidelines do not recommend long-term use of this muscle relaxant for this chronic injury. Additionally, the efficacy in clinical trials has been inconsistent and most studies are small and of short duration. These medications may be useful for chronic musculoskeletal pain, but there are no long-term studies of their effectiveness or safety. Submitted reports have not adequately demonstrated the indication or medical need for this treatment and there is no report of significant clinical findings, acute flare-up or new injury to support for its long-term use. There is no report of functional improvement resulting from its previous treatment to support further use as the patient remains unchanged. The Soma 350mg #120 is not medically necessary and appropriate.

Motrin 800mg #90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs (non-steroidal anti-inflammatory drugs), Page 22.

Decision rationale: Anti-inflammatories are the traditional first line of treatment, to reduce pain so activity and functional restoration can resume, but long-term use may not be warranted. Monitoring of NSAID's functional benefit is advised as per Guidelines, long-term use of NSAIDS beyond a few weeks may actually retard muscle and connective tissue healing and increase the risk of hip fractures. Available reports submitted have not adequately addressed the indication to continue a NSAID for a chronic injury nor have they demonstrated any functional efficacy derived from treatment already rendered. The Motrin 800mg #90 is not medically necessary and appropriate.

Prilosec 20mg #30: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI Symptoms and Cardiovascular risk, Pages 68-69.

Decision rationale: Prilosec (Omeprazole) medication is for treatment of the problems associated with erosive esophagitis from GERD, or in patients with hypersecretion diseases. Per MTUS Chronic Pain Treatment Guidelines, the patient does not meet criteria for Omeprazole (Prilosec) namely reserved for patients with history of prior GI bleeding, the elderly (over 65 years), diabetics, and chronic cigarette smokers. Submitted reports have not described or provided any GI diagnosis that meets the criteria to indicate medical treatment. Review of the

records show no documentation of any history, symptoms, or GI diagnosis to warrant this medication. The Prilosec 20mg #30 is not medically necessary and appropriate.

Urine drug screen: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Drug Testing, page 43.

Decision rationale: Per MTUS Guidelines, urine drug screening is recommended as an option before a therapeutic trial of opioids and for on-going management to differentiate issues of abuse, addiction, misuse, or poor pain control; none of which apply to this patient who has been prescribed long-term opioid this chronic injury. Presented medical reports from the provider have unchanged chronic severe pain symptoms with unchanged clinical findings of restricted range and tenderness without acute new deficits or red-flag condition changes. Treatment plan remains unchanged with continued medication refills without change in dosing or prescription for chronic pain. There is no report of aberrant behaviors, illicit drug use, and report of acute injury or change in clinical findings or risk factors to support frequent UDS. Documented abuse, misuse, poor pain control, history of unexpected positive results for a non-prescribed scheduled drug or illicit drug or history of negative results for prescribed medications may warrant UDS and place the patient in a higher risk level; however, none are provided. The Urine Drug Screen is not medically necessary and appropriate.