

Case Number:	CM15-0102441		
Date Assigned:	06/04/2015	Date of Injury:	12/21/2012
Decision Date:	07/07/2015	UR Denial Date:	05/18/2015
Priority:	Standard	Application Received:	05/28/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 53 year old female with an industrial injury dated 12/21/2012. Her diagnoses included multi-level cervical disc desiccation and bulging with right upper extremity radiculopathy and lumbar 4-5 spondylolisthesis and lumbar 2-3 disc protrusion with bilateral lower extremity radiculopathy. Prior treatments included epidural steroid injections and medications. She presented on 04/29/2015 with complaints of stabbing and burning back pain that she rated as 8 out of 10 with pins and needles sensation, hip pain, right leg pain and neck pain. Physical exam revealed the injured worker could flex her neck to a point where her chin was within two finger breadths of her chest. There is no sensory deficit and muscle strength was normal. There was tenderness in the paraspinous musculature of the lumbar region with decreased sensation. Strength was normal. Treatment plan included Norco, Ultram and Flexeril for pain management.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Norco 10/325mg #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids Page(s): 91.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for Norco, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS) and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Norco is not medically necessary.

Ultram 50mg #90 Refills: 3: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Tramadol (Ultram), Opioids Page(s): 91, 113.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for Ultram, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS) and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Ultram is not medically necessary.

Flexeril 10mg #90 Refills: 2: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Cyclobenzaprine (Flexeril).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 63-66 of 127.

Decision rationale: Regarding the request for cyclobenzaprine (Flexeril), Chronic Pain Medical Treatment Guidelines support the use of non-sedating muscle relaxants to be used with caution as

a 2nd line option for the short-term treatment of acute exacerbations of pain. Guidelines go on to state that cyclobenzaprine specifically is recommended for a short course of therapy. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the cyclobenzaprine. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. In the absence of such documentation, the currently requested cyclobenzaprine (Flexeril) is not medically necessary.