

Case Number:	CM15-0011280		
Date Assigned:	01/30/2015	Date of Injury:	09/18/2012
Decision Date:	03/19/2015	UR Denial Date:	12/26/2014
Priority:	Standard	Application Received:	01/20/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: New Jersey, Michigan, California
 Certification(s)/Specialty: Neurology, Neuromuscular Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 61 year old female who sustained an industrial injury on 09/18/2012. The current diagnoses include shoulder pain and rotator cuff tendinopathy. Treatments to date include medication management, rotator cuff repair and subacromial decompression and debridement on 02/04/2013, subacromial decompression and debridement on 05/09/2014. Report dated 12/11/2014 noted that the injured worker presented with complaints that included frequent aching pain in her right shoulder and stiffness, pain level was rated as 7-9 out 10, decreased range of motion, and decreased ability to complete activities of daily living. Physical examination revealed abnormal findings. The physician noted that MRI of the shoulder appeared to have a large partial-thickness tear, and felt that the injured worker would benefit from a platelet rich plasma (PRP) injection which would hopefully stimulate healing of the intrasubstance tear. The utilization review performed on 12/26/2014 non-certified a prescription for one platelet rich plasma (PRP) injection to the right shoulder based on literature does not support the efficacy of this treatment for ongoing shoulder complaints in multiple-operated shoulder with residual arthritic change. The reviewer referenced ACOEM in making this decision.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

One platelet rich plasma (PRP) injection to the right shoulder: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation ACOEM www.acoempracguides.org/shoulder, Summary of Recommendations, Shoulder Disorders

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Platelet-rich plasma (PRP), <http://www.worklossdatainstitute.verioiponly.com/odgtwc/elbow.htm#Plateletrichplasma>.

Decision rationale: According to MTUS guidelines, Platelet-rich plasma (PRP) is “Recommend single injection as a second-line therapy for chronic lateral epicondylitis after first- line physical therapy such as eccentric loading, stretching and strengthening exercises, based on recent research below. This small pilot study found that 15 patients with chronic elbow tendinosis treated with buffered platelet-rich plasma (PRP) showed an 81% improvement in their visual analog pain scores after six months, and concluded that PRP should be considered before surgical intervention. Further evaluation of this novel treatment is warranted. (Mishra, 2006) This review concluded that there is strong pilot-level evidence supporting the use of prolotherapy, polidocanol, autologous whole blood and platelet-rich plasma injections in the treatment of lateral epicondylitis (LE). Rigorous studies of sufficient sample size, assessing these injection therapies using validated clinical, radiological and biomechanical measures, and tissue injury/healing-responsive biomarkers, are needed to determine long-term effectiveness and safety, and whether these techniques can play a definitive role in the management of LE and other tendinopathies. (Rabago, 2009) Using a Gravitational platelet separation system, whole blood can yield platelet-rich plasma. Specially prepared platelets taken from the patient are then re-injected into the tendon of the affected elbow. Platelet-rich plasma contains powerful growth factors that initiate healing in the tendon, but may also send signals to other cells in the body drawing them to the injured area to help in repair. Treatment with PRP is still considered investigational and further research is needed before it can be made available to the general population. According to the author, "The body has an extraordinary ability to heal itself. All we did was speed the process by taking blood from a different area, concentrating it, and putting it back into an area where there was relatively poor blood supply to help repair the damage." Early studies have shown PRP therapy may be useful in maxillofacial surgery, wound healing, microfracture repair, and in the treatment of plantar faciitis. PRP looks promising, but it is not yet ready for prime time. PRP has become popular among professional athletes because it promises to enhance performance, but there is no science behind it yet. PRP was better than corticosteroid injections in relieving pain and improving function in patients with chronic severe lateral epicondylitis, but the study concluded that PRP should be reserved for the most severe cases since 80% of tennis elbows will be cured spontaneously without doing anything within a year. (AAOS, 2010).” There is no clear and recent documentation of failure of first line therapies for managing right shoulder pain. There is no controlled studies supporting the benefit and safety for PRP for severe arthritis. Therefore, the prescription of PRP Injection for the right shoulder is not medically necessary.