

Case Number:	CM15-0118780		
Date Assigned:	07/15/2015	Date of Injury:	12/24/2013
Decision Date:	09/24/2015	UR Denial Date:	06/15/2015
Priority:	Standard	Application Received:	06/19/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
State(s) of Licensure: California, Indiana, Oregon
Certification(s)/Specialty: Orthopedic Surgery

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 50-year-old female, who sustained an industrial injury on 12/24/2013, while working as a housekeeper, as the result of continuous trauma. The injured worker was diagnosed as having right thumb sprain/strain and right thumb trigger at A1 pulley. Treatment to date has included diagnostics, physical therapy, injections and medications. Currently, the injured worker complains of constant and severe right thumb pain, with occasional brief locking up. The treatment plan included right thumb A1 pulley release, post-operative physical therapy x12 sessions, pre-operative medical clearance, comprehensive metabolic panel, prothrombin time, partial thromboplastin time, urinalysis, and chest x-ray. Per the Qualified medical Evaluation report (1/20/2015), she denied a history of hypertension, diabetes, lung disease, epilepsy, tuberculosis, collagen disease, cancer, or arthritis. She had no known allergies to medications.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Physical therapy (sessions) Qty:12: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Postsurgical Treatment Guidelines Page(s): 22.

Decision rationale: Per the CA MTUS/Post Surgical Treatment Guidelines, page 22, 9 visits over a 3-month period is authorized. Half of the visits are initially recommended pending re-evaluation. In this case, the request exceeds the initial recommended treatment number and is therefore not medically necessary.

Preoperative medical clearance: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

Decision rationale: CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity." The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 50 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore, the request is not medically necessary.

Comprehensive metabolic panel: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

Decision rationale: CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that

preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity." The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 50 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore, the request is not medically necessary.

Pro-thrombin time: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

Decision rationale: CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity." The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 50 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore, the request is not medically necessary.

Partial thromboplastin time: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

Decision rationale: CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity." The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 50 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore, the request is not medically necessary.

UA: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

Decision rationale: CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity." The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients

undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 50 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore, the request is not medically necessary.

Chest x-ray: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

Decision rationale: CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity." The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high-risk surgery and those undergoing intermediate risk surgeries who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 50 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore, the request is not medically necessary.