

Case Number:	CM15-0122058		
Date Assigned:	07/06/2015	Date of Injury:	06/08/2015
Decision Date:	09/11/2015	UR Denial Date:	06/12/2015
Priority:	Standard	Application Received:	06/24/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: California, Indiana, Oregon
 Certification(s)/Specialty: Orthopedic Surgery

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 61 year old male, who sustained an industrial injury on December 1, 2014. The injured worker was diagnosed as having right shoulder impingement. Treatment to date has included physical therapy, medication, and injections. A progress note dated June 5, 2015 provides the injured worker complains of right shoulder pain. He reports recent corticosteroid injection did not provide long term relief. Physical exam notes tenderness and decreased range of motion (ROM) of the shoulder. There is positive impingement. The injured worker wishes to proceed with surgical intervention. Review of previous magnetic resonance imaging (MRI) reveals partial rotator cuff tear, superior labrum anterior and posterior (SLAP) lesion and degenerative changes. The plan includes arthroscopic surgery and related surgical services.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Right shoulder arthroscopic subacromial decompression and distal clavicle resections:
 Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG).

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) shoulder.

Decision rationale: According to the CA MTUS/ACOEM Shoulder Chapter, page 209-210, surgical considerations for the shoulder include failure of four months of activity modification and existence of a surgical lesion. The ODG shoulder section, acromioplasty surgery recommends 3-6 months of conservative care plus a painful arc of motion from 90-130 degrees. In addition night pain and weak or absent abduction must be present. There must be tenderness over the rotator cuff or anterior acromial area and positive impingement signs with temporary relief from anesthetic injection. In this case, there is no weak or absent abduction. The request is not medically necessary.

Associated surgical service: medical clearance: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not cite any medical evidence for its decision.

Decision rationale: Since the primary procedure is not medically necessary, none of the associated services are medically necessary.

Associated surgical service: CBC: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not cite any medical evidence for its decision.

Decision rationale: Since the primary procedure is not medically necessary, none of the associated services are medically necessary.

Associated surgical service: Basic Metabolic Panel (BMP): Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not cite any medical evidence for its decision.

Decision rationale: Since the primary procedure is not medically necessary, none of the associated services are medically necessary.

Associated surgical service: EKG: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not cite any medical evidence for its decision.

Decision rationale: Since the primary procedure is not medically necessary, none of the associated services are medically necessary.

Norco 10/325mg #40: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines opioids Page(s): 80.

Decision rationale: According to the CA MTUS/Chronic Pain Medical Treatment Guidelines, page 80, opioids should be continued if the patient has returned to work and the patient has improved functioning and pain. Based upon the records reviewed there is insufficient evidence to support chronic use of narcotics. In this case, there is lack of demonstrated functional improvement, percentage of relief, demonstration of urine toxicology compliance or increase in activity due to medications. Therefore the request is not medically necessary.

Keflex 500mg #8: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Stulberg DL, Penrod MA, Blatny RA. Common bacterial skin infections. Am Fam Physician. 2002 Jul 1; 66 (1):119-24.

Decision rationale: CA MTUS/ACOEM and ODG are silent on the issue of Keflex. An alternative guideline was utilized. According to the American Family Physician Journal, 2002 July 1; 66 (1): 119-125, titled "Common Bacterial Skin Infections", Keflex is often the drug of choice for skin wounds and skin infections. It was found from a review of the medical record submitted of no evidence of a wound infection to warrant antibiotic prophylaxis. The request for Keflex is therefore not medically necessary and appropriate.