

<b>Case Number:</b>	CM15-0040271		
<b>Date Assigned:</b>	03/10/2015	<b>Date of Injury:</b>	11/20/2014
<b>Decision Date:</b>	04/15/2015	<b>UR Denial Date:</b>	02/06/2015
<b>Priority:</b>	Standard	<b>Application Received:</b>	03/03/2015

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:  
 State(s) of Licensure: North Carolina  
 Certification(s)/Specialty: Family Practice

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 29 year old female, who sustained an industrial injury on 11/20/2014. The diagnoses have included cervical and lumbar sprain/strain. Treatment to date was not documented. According to the doctor's first report of occupational injury or illness dated 1/29/2015, the injured worker complained of lumbar spine pain rated 7/10, right shoulder pain rated 8/10, left shoulder pain rated 5/10, right wrist/hand pain dated 8/10 and right knee pain. Physical exam revealed decreased range of motion of the cervical and lumbar spine. The treatment plan was for a psychological evaluation, physical therapy, Ibuprofen, Prilosec and Methoderm cream.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Psych consult:** Overturned

**Claims Administrator guideline:** Decision based on MTUS ACOEM Chapter 15 Stress Related Conditions Page(s): 387-388, 398.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines psychological treatment Page(s): 101-102.

**Decision rationale:** The California chronic pain medical treatment guidelines section on psychological treatment states: Recommended for appropriately identified patients during treatment for chronic pain. Psychological intervention for chronic pain includes setting goals, determining appropriateness of treatment, conceptualizing a patient's pain beliefs and coping styles, assessing psychological and cognitive function, and addressing co-morbid mood disorders (such as depression, anxiety, panic disorder, and posttraumatic stress disorder). Cognitive behavioral therapy and self-regulatory treatments have been found to be particularly effective. Psychological treatment incorporated into pain treatment has been found to have a positive short-term effect on pain interference and long-term effect on return to work. The following stepped-care approach to pain management that involves psychological intervention has been suggested: Step 1: Identify and address specific concerns about pain and enhance interventions that emphasize self-management. The role of the psychologist at this point includes education and training of pain care providers in how to screen for patients that may need early psychological intervention. Step 2: Identify patients who continue to experience pain and disability after the usual time of recovery. At this point a consultation with a psychologist allows for screening, assessment of goals, and further treatment options, including brief individual or group therapy. Step 3: Pain is sustained in spite of continued therapy (including the above psychological care). Intensive care may be required from mental health professions allowing for a multidisciplinary treatment approach. See also Multi-disciplinary pain programs. See also ODG Cognitive Behavioral Therapy (CBT) Guidelines. (Otis, 2006) (Townsend, 2006) (Kerns, 2005) (Flor, 1992) (Morley, 1999) (Ostelo, 2005) Psychological treatment in particular cognitive behavioral therapy has been found to be particularly effective in the treatment of chronic pain. As this patient has continued ongoing pain, this service is indicated per the California MTUS.

**Menthoderm ointment:** Upheld

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Topical Medications.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines topical analgesics Page(s): 111-113.

**Decision rationale:** The California chronic pain medical treatment guidelines section on topical analgesics states: Recommended as an option as indicated below. Largely experimental in use with few randomized controlled trials to determine efficacy or safety. Primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. (Namaka, 2004) These agents are applied locally to painful areas with advantages that include lack of systemic side effects, absence of drug interactions, and no need to titrate. (Colombo, 2006) Many agents are compounded as monotherapy or in combination for pain control (including NSAIDs, opioids, capsaicin, local anesthetics, antidepressants, glutamate receptor antagonists, adrenergic receptor agonist, adenosine, cannabinoids, cholinergic receptor agonists, agonists, prostanoids, bradykinin, adenosine triphosphate, biogenic amines, and nerve growth factor). (Argoff, 2006) There is little to no research to support the use of many of these agents. Any compounded product that contains at least one drug (or drug class) that is not recommended is not recommended. The requested medication contains multiple ingredients, which are not indicated

per the California MTUS for topical analgesic use. Therefore the request is not medically necessary.