

Case Number:	CM15-0063671		
Date Assigned:	05/15/2015	Date of Injury:	05/04/1997
Decision Date:	06/29/2015	UR Denial Date:	03/09/2015
Priority:	Standard	Application Received:	04/03/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker (IW) is a 68 year old female who sustained an industrial injury on 05/04/1997. She reported a back injury . The injured worker was diagnosed as having chronic low back pain. Treatment to date has included medications, acupuncture, physical therapy, transcutaneous electrical nerve stimulation (TENS) unit, facet joint injections, epidural injections, and radiofrequency lesioning. Currently, the injured worker is presenting for follow-up evaluation and management of chronic pain. She has recently been using a TENS unit with good effect, however the unit recently has broken. She has no new injuries. She complains of bilateral lower back pain which is worse on the left side. The left-sided back pain is 7/10 on a 0-10 pain scale. Her right -sided lower back pain is 4/10 on a 0-10 pain scale. She complains of back stiffness and denies numbness or tingling in her legs. She currently is using Fentanyl and Oxycodone as her narcotic pain medications and reports her overall pain decreased by 65% with the medications. In the past she had good benefit from radiofrequency lesioning in the left lumbar back and the pain was decreased for a number of months. She would like to repeat the procedure. Requested at this time are the following: Oxycodone 10 MG #30, Oxycodone 10 MG #30 Do Not Dispensed Until 3/30/2015, Fentanyl Patch 75 MCG #10, Fentanyl Patch 75 MCG #10 Do Not Dispensed Until 3/30/2015, and 1 Radiofrequency Lesioning at Left L3,4,5.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Oxycodone 10 MG #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for oxycodone, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function (in terms of specific examples of functional improvement), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested oxycodone is not medically necessary.

Oxycodone 10 MG #30 Do Not Dispensed Until 3/30/2015: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for oxycodone, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function (in terms of specific examples of functional improvement), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested oxycodone is not medically necessary.

Fentanyl Patch 75 MCG #10: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for fentanyl patch, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function (in terms of specific examples of functional improvement), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested fentanyl patch is not medically necessary.

Fentanyl Patch 75 MCG #10 Do Not Dispensed Until 3/30/2015: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for fentanyl patch, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function (in terms of specific examples of functional improvement), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested fentanyl patch is not medically necessary.