

<b>Case Number:</b>	CM15-0064290		
<b>Date Assigned:</b>	04/10/2015	<b>Date of Injury:</b>	08/21/2014
<b>Decision Date:</b>	05/12/2015	<b>UR Denial Date:</b>	03/27/2015
<b>Priority:</b>	Standard	<b>Application Received:</b>	04/06/2015

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 26-year-old female, who sustained an industrial injury on 8/21/14. She reported left flank and thoracic spine pain. The injured worker was diagnosed as having thoracic strain and myofascial pain. Treatment to date has included physical therapy and trigger point injections. Currently, the injured worker complains of left flank and thoracic spine pain. The treating physician requested authorization for Lidopro x2, Fexmid 7.5mg #90 x3 and additional chiropractic treatment.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Lidopro times 2:** Upheld

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 111-113.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 111-113 of 127. Decision based on Non-MTUS Citation X Other Medical Treatment Guideline or Medical Evidence:

<http://dailymed.nlm.nih.gov/dailymed/lookup.cfm?setid=ef3f3597-94b9-4865-b805-a84b224a207e>.

**Decision rationale:** Regarding request for LidoPro, LidoPro contains Capsaicin 0.0325%, Lidocaine 4.5%, Menthol 10%, and Methyl Salicylate 27.5%. Chronic Pain Medical Treatment Guidelines state that any compounded product that contains at least one drug or drug class that is not recommended, is not recommended. Regarding use of capsaicin, guidelines state that it is recommended only as an option for patients who did not respond to or are intolerant to other treatments. Regarding the use of topical lidocaine, Chronic Pain Medical Treatment Guidelines recommend the use of topical lidocaine for localized peripheral pain after there has been evidence of a trial of the 1st line therapy such as tri-cyclic antidepressants, SNRIs, or antiepileptic drugs. Guidelines go on to state that no commercially approved topical formulations of lidocaine cream, lotion, or gel are indicated for neuropathic pain. Within the documentation available for review, there is no indication that the patient has failed first-line therapy recommendations. Furthermore, guidelines do not support the use of topical lidocaine preparations which are not in patch form. In addition, there is no indication that the patient has been intolerant to or did not respond to other treatments prior to the initiation of Lidopro therapy. In the absence of clarity regarding those issues, the currently requested LidoPro is not medically necessary.

**Fexmid 7.5mg #90 times 3:** Upheld

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 63. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), Pain Chapter.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 63-66 of 127.

**Decision rationale:** Regarding the request for cyclobenzaprine (Fexmid), Chronic Pain Medical Treatment Guidelines support the use of non-sedating muscle relaxants to be used with caution as a 2nd line option for the short-term treatment of acute exacerbations of pain. Guidelines go on to state that cyclobenzaprine specifically is recommended for a short course of therapy. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the cyclobenzaprine. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. In the absence of such documentation, the currently requested cyclobenzaprine (Fexmid) is not medically necessary.

**Additional chiropractic:** Upheld

**Claims Administrator guideline:** Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 298-299, Chronic Pain Treatment Guidelines Page(s): 58.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 58-60 of 127.

**Decision rationale:** Regarding the request for additional chiropractic care, Chronic Pain Medical Treatment Guidelines support the use of chiropractic care for the treatment of chronic pain caused by musculoskeletal conditions. Guidelines go on to recommend a trial of up to 6 visits over 2 weeks for the treatment of low back pain. With evidence of objective functional improvement, a total of up to 18 visits over 6 to 8 weeks may be supported. Within the documentation available for review, there is documentation of completion of prior chiropractic sessions, but there is no documentation of specific objective functional improvement with the previous sessions and remaining deficits that cannot be addressed within the context of an independent home exercise program, yet are expected to improve with formal supervised therapy. In the absence of clarity regarding the above issues, the currently requested chiropractic care is not medically necessary.