

Case Number:	CM15-0064465		
Date Assigned:	04/10/2015	Date of Injury:	09/02/2014
Decision Date:	05/11/2015	UR Denial Date:	03/17/2015
Priority:	Standard	Application Received:	04/06/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: North Carolina
 Certification(s)/Specialty: Family Practice

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 50 year old female patient who sustained an industrial injury on 09/02/2014. A primary treating office visit dated 12/02/2014 reported subjective complaint of pain in bilateral knees and radiation into bilateral legs. She reports lumbar pain that radiates down into bilateral knees and bilateral legs. She also reports neck pain, bilateral hand pains. She takes Hydrocodone and is not working at this time. The impression noted bilateral knee degenerative joint disease, and lumbar spondylosis L1-L3. Previous diagnostic testing to include radiography study, magnetic resonance imaging, elctronerve conduction study. A more recent office visit dated 01/06/2015 reported subjective complaints of neck pain, lumbar spine pain radiating to bilateral buttocks, legs. She is diagnosed with the following: possible right L4-5 radiculitis, bilateral knee degenerative joint disease, L4-5 right foraminal stenosis, lumbar spine spondylosis L5-S1. The plan of care noted recommending surgical intervention knee. She is to remain off from work through 03/30/2015.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Cold therapy for 2 weeks rental: Overturned

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG).

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation ODG, cryotherapy.

Decision rationale: The California MTUS and the ACOEM do not specifically address the requested service. The ACOEM does recommend the at home local application of cold packs the first few days after injury and thereafter the application of heat packs. The Official Disability Guidelines section on cryotherapy states: Recommended as an option after surgery but not for nonsurgical treatment. The request is for post-surgical use and therefore is medically indicated and certified.

Outpatient physical therapy 2 times a week for 6 weeks: Overturned

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines physical medicine Page(s): 98-99.

Decision rationale: The California chronic pain medical treatment guidelines section on physical medicine states: Recommended as indicated below. Passive therapy (those treatment modalities that do not require energy expenditure on the part of the patient) can provide short-term relief during the early phases of pain treatment and are directed at controlling symptoms such as pain, inflammation and swelling and to improve the rate of healing soft tissue injuries. They can be used sparingly with active therapies to help control swelling, pain and inflammation during the rehabilitation process. Active therapy is based on the philosophy that therapeutic exercise and/or activity are beneficial for restoring flexibility, strength, endurance, function, range of motion, and can alleviate discomfort. Active therapy requires an internal effort by the individual to complete a specific exercise or task. This form of therapy may require supervision from a therapist or medical provider such as verbal, visual and/or tactile instruction(s). Patients are instructed and expected to continue active therapies at home as an extension of the treatment process in order to maintain improvement levels. Home exercise can include exercise with or without mechanical assistance or resistance and functional activities with assistive devices. (Colorado, 2002) (Airaksinen, 2006) Patient-specific hand therapy is very important in reducing swelling, decreasing pain, and improving range of motion in CRPS. (Li, 2005) The use of active treatment modalities (e.g., exercise, education, activity modification) instead of passive treatments is associated with substantially better clinical outcomes. In a large case series of patients with low back pain treated by physical therapists, those adhering to guidelines for active rather than passive treatments incurred fewer treatment visits, cost less, and had less pain and less disability. The overall success rates were 64.7% among those adhering to the active treatment recommendations versus 36.5% for passive treatment. (Fritz, 2007) Physical Medicine Guidelines: Allow for fading of treatment frequency (from up to 3 visits per week to 1 or less), plus active self-directed home Physical Medicine. Myalgia and myositis, unspecified (ICD9 729.1): 9-10 visits over 8 weeks. Neuralgia, neuritis, and radiculitis, unspecified (ICD9 729.2):

8-10 visits over 4 weeks. Reflex sympathetic dystrophy (CRPS) (ICD9 337.2): 24 visits over 16 weeks. The requested amount of physical therapy is not in excess of California chronic pain medical treatment guidelines. Therefore, the request is medically necessary and certified.