

Case Number:	CM15-0066555		
Date Assigned:	04/14/2015	Date of Injury:	06/04/2001
Decision Date:	06/01/2015	UR Denial Date:	04/02/2015
Priority:	Standard	Application Received:	04/08/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: New York
 Certification(s)/Specialty: Anesthesiology

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 40 year old male, who sustained an industrial injury on June 4, 2001. He has reported neck pain, left shoulder pain, back pain, and leg pain. Diagnoses have included shoulder joint pain, displacement of cervical intervertebral disc, displacement of thoracic or lumbosacral intervertebral disc, lumbar postlaminectomy syndrome, cervicgia, thoracic or lumbosacral, neuritis or radiculitis, and headache. Treatment to date has included medications, acupuncture, physical therapy, multiple spine surgeries, left shoulder surgery, cervical epidural steroid injection, and diagnostic testing. A progress note dated November 14, 2014 indicates a chief complaint of lower back pain radiating to the lower extremities. The treating physician documented a plan of care that included medications.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Retro Mobic 15mg #30: Overturned

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs Page(s): 67-71. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) NSAIDs.

Decision rationale: Mobic (Meloxicam) is a non-steroidal anti-inflammatory drug (NSAID). Oral NSAIDs are recommended for the treatment of chronic pain and control of inflammation as a second-line therapy after acetaminophen. ODG states that NSAIDs are recommended for acute pain, osteoarthritis and acute exacerbations of chronic pain. There is inconsistent evidence for the use of NSAIDs to treat long-term neuropathic pain. Guidelines recommended that the lowest effective dose be used for the shortest duration of time consistent with treatment goals. In this case, the patient has been on previous long-term NSAIDs with documentation of improvement. Medical necessity of the requested retro Mobic has been established. The request for this medication is medically necessary.

Retro Norco 10/325mg #150: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids Page(s): 91-97. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Opioids.

Decision rationale: According to the CA MTUS and ODG, Norco 10/325mg (Hydrocodone / Acetaminophen) is a short-acting opioid analgesic indicated for moderate to moderately severe pain, and is used to manage both acute and chronic pain. The treatment of chronic pain with any opioid analgesic requires review and documentation of pain relief, functional status, appropriate medication use, and side effects. A pain assessment should include current pain, intensity of pain after taking the opiate, and the duration of pain relief. In this case, there is no documentation of the medication's functional benefit. Medical necessity of the requested item was not established. Of note, discontinuation of an opioid analgesic should include a taper, to avoid withdrawal symptoms. The requested medication was not medically necessary.

Retro Prilosec 20mg #30: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines PPIs Page(s): 68. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) PPIs.

Decision rationale: According to CA MTUS (2009), proton pump inhibitors, such as Omeprazole (Prilosec), are recommended for patients taking NSAIDs with documented GI distress symptoms or specific GI risk factors. There is no documentation indicating the patient has any GI symptoms or GI risk factors. Risk factors include, age >65, history of peptic ulcer disease, GI bleeding, concurrent use of aspirin, corticosteroids, and/or anticoagulants or high-dose/multiple NSAIDs. There is no documentation of any reported GI complaints. Based on the available information provided for review, the medical necessity for Prilosec was not established. The requested retro medication was not medically necessary.

Retro Soma 350mg #90: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle relaxants Page(s): 29, 63.

Decision rationale: The CA MTUS does not recommend muscle relaxants for chronic pain. Non-sedating muscle relaxants are an option for short term exacerbations of chronic low back pain. Soma (Carisoprodol) was the muscle relaxant requested in this case. This medication is sedating. No reports show any specific and significant improvements in pain or function as a result of prescribing muscle relaxants. According to the MTUS guidelines, Soma is categorically not recommended for chronic pain, noting its habituating and abuse potential. Medical necessity for the requested medication was not established. The requested medication is/was not medically necessary.