

Case Number:	CM15-0070965		
Date Assigned:	04/21/2015	Date of Injury:	11/21/2014
Decision Date:	05/19/2015	UR Denial Date:	03/19/2015
Priority:	Standard	Application Received:	04/14/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: California
 Certification(s)/Specialty: Physical Medicine & Rehabilitation

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This 58 year old woman sustained an industrial injury on 11/21/2014. The mechanism of injury is not detailed. Diagnoses include cervical and lumbar spine strain with radicular complaints, stress, and anxiety. Treatment has included oral medications. Physician notes dated 2/27/2015 show intermittent neck and low back pain. Recommendations include cervical and lumbar spine MRIs, acupuncture, consultation with a psychiatrist, and internal medicine consultation.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

MRI cervical spine: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints Page(s): Chapter 8 Neck and Upper Back Disorders, Introductory Material, Special Studies and Diagnostic and Treatment Considerations, page(s) 171-171, 177-179.

Decision rationale: Per ACOEM Treatment Guidelines for the Neck and Upper Back Disorders, criteria for ordering imaging include Emergence of a red flag; Physiologic evidence of tissue insult or neurologic dysfunction; Failure to progress in a strengthening program intended to avoid surgery; Clarification of the anatomy prior to an invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination and electrodiagnostic studies. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist; however, review of submitted medical reports, including reports from the provider, have not adequately demonstrated the indication for the MRI of the Cervical spine nor document any specific clinical findings to support this imaging study as the patient is without specified neurological deficit in bilateral upper extremities. When the neurologic examination is less clear, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. The MRI cervical spine is not medically necessary and appropriate.

MRI for the lumbar spine: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): Chapter 12- Low Back Complaints, Imaging, pages 303-304.

Decision rationale: Per ACOEM Treatment Guidelines for the Lower Back Disorders, under Special Studies and Diagnostic and Treatment Considerations, states Criteria for ordering imaging studies, include Emergence of a red flag; Physiologic evidence of tissue insult or neurologic dysfunction; Failure to progress in a strengthening program intended to avoid surgery; Clarification of the anatomy prior to an invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination and electrodiagnostic studies. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist; however, review of submitted medical reports have not adequately demonstrated the indication for MRI of the Lumbar spine nor document any specific clinical findings to support this imaging study as the patient is without specific dermatomal or myotomal neurological deficits. When the neurologic examination is less clear, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. The MRI for the lumbar spine is not medically necessary and appropriate.

Acupuncture two times four for cervical spine: Upheld

Claims Administrator guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

Decision rationale: It is not clear if the patient has participated in previous acupuncture. Current clinical exam show no specific physical impairments or clear dermatomal/myotomal

neurological deficits to support for treatment with acupuncture to the cervical and thoracic spine. The patient has been certified physical therapy without documented functional improvement. There are no clear specific documented goals or objective measures to identify for improvement with a functional restoration approach for this injury with ongoing unchanged chronic pain complaints. MTUS, Acupuncture Guidelines recommend initial trial of conjunctive acupuncture visit of 3 to 6 treatment with further consideration upon evidence of objective functional improvement. Submitted reports have not demonstrated the medical indication to support this request or specific conjunctive therapy towards a functional restoration approach for acupuncture visits, beyond guidelines criteria for initial trial. The Acupuncture two times four for cervical spine is not medically necessary and appropriate.