

Case Number:	CM15-0073018		
Date Assigned:	04/23/2015	Date of Injury:	10/01/1997
Decision Date:	06/16/2015	UR Denial Date:	04/02/2015
Priority:	Standard	Application Received:	04/16/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: New York

Certification(s)/Specialty: Anesthesiology

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 67 year old female with an industrial injury dated October 1, 1997. The injured worker diagnoses include neck pain and cervical facet arthropathy. The injured worker underwent a right cervical facet injection on 2/23/2015. According to the clinical procedure note dated 2/23/2015, Objective findings revealed tenderness over the right C4-5, C5-6, C6-7. The injured worker rated a 7/10 pain pre procedure and a 4/10 pain post procedure. There were no current medical reports submitted for review. The treating physician prescribed Lidoderm 5% patch, OxyContin 30mg, Endocet 10-325mg, and Tizanidine 4mg.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Lidoderm 5% patch #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Lidoderm (lidocaine patch), Topical Analgesics.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical analgesics Page(s): 56-57.

Decision rationale: According to the California MTUS Guidelines (2009), topical analgesics, such as the Lidoderm patches, are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. These agents are applied topically to painful areas with advantages that include lack of systemic side effects, absence of drug interactions, and no need to titrate. Many agents are compounded as monotherapy or in combination for pain control, for example, NSAIDs, opioids, or antidepressants. Lidoderm is the brand name for a lidocaine patch. Topical lidocaine may be recommended for localized peripheral pain after there has been evidence of a trial of first-line therapy (tricyclic or SNRI anti-depressants, or an AED, such as gabapentin or Lyrica). Lidoderm patches are not a first-line treatment and are only FDA approved for post-herpetic neuralgia. Further research is needed to recommend this treatment for chronic neuropathic pain disorders other than post-herpetic neuralgia. In addition, this medication is not generally recommended for treatment of osteoarthritis or treatment of myofascial pain/trigger points. In this case, medical necessity of the requested item has not been established. Medical necessity of the requested 5% Lidoderm patches has not been established. The requested Lidoderm patches are not medically necessary.

OxyContin 30mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids Page(s): 91-97. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Opioids.

Decision rationale: According to ODG, chronic pain can have a mixed physiologic etiology of both neuropathic and nociceptive components. In most cases, analgesic treatment should begin with acetaminophen, aspirin, and NSAIDs. When these drugs do not satisfactorily reduce pain, opioids for moderate to severe pain may be added. Oxycodone (Oxycontin) is a long-acting opioid analgesic. The treatment of chronic pain with any opioid analgesic requires review and documentation of pain relief, functional status, appropriate medication use, and side effects. A pain assessment should include current pain, intensity of pain after taking the opiate, and the duration of pain relief. In this case, there is no documentation of the medication's pain relief effectiveness, functional improvement from previous usage, or response to ongoing opiate therapy. Medical necessity of the requested item has not been established. Of note, discontinuation of an Oxycodone should include a taper, to avoid withdrawal symptoms. The requested medication is not medically necessary.

Endocet 10-325mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Medications for chronic pain.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids Page(s): 91-97. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Opioids.

Decision rationale: According to the ODG, chronic pain can have a mixed physiologic etiology of both neuropathic and nociceptive components. In most cases, analgesic treatment should begin with acetaminophen, aspirin, and NSAIDs. According to ODG and MTUS, Endocet 10/325mg (Percocet or Oxycodone 10/325mg) is a short-acting opioid analgesic. The treatment of chronic pain with any opioid analgesic requires review and documentation of pain relief, functional status, appropriate medication use, and side effects. A pain assessment should include current pain, intensity of pain after taking the opiate, and the duration of pain relief. In this case, there is no documentation of the medication's pain relief effectiveness, functional status, or response to ongoing opioid analgesic therapy. Medical necessity of the requested medication has not been established. Of note, discontinuation of an opioid analgesic should include a taper, to avoid withdrawal symptoms. The requested Endocet 10/325mg is not medically necessary.

Tizanidine 4mg #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle relaxants (for pain).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle relaxants Page(s): 63, 66.

Decision rationale: Tizanidine (Zanaflex) is a centrally acting alpha2-adrenergic agonist that is FDA approved for management of spasticity; unlabeled use for low back pain. It is indicated for the treatment of chronic myofascial pain and considered an adjunct treatment for fibromyalgia. According to CA MTUS Guidelines, muscle relaxants have not been considered any more effective than non-steroidal anti-inflammatory drugs (NSAIDs) for pain or overall improvement. There is no additional benefit shown in combination with NSAIDs. In addition, sedation is the most commonly reported adverse effect of muscle relaxant medications. In this case, there is no documentation of functional improvement with the use of this medication. The guideline criteria do not support the long-term (>2 wks) use of muscle relaxants. Medical necessity for the requested medication has not been established. The requested medication, Tizanidine, is not medically necessary.