

Case Number:	CM15-0076032		
Date Assigned:	04/27/2015	Date of Injury:	07/28/1987
Decision Date:	05/26/2015	UR Denial Date:	03/26/2015
Priority:	Standard	Application Received:	04/21/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 69-year-old female, who sustained an industrial injury on 7/28/1987. Diagnoses have included degenerative thoracic/lumbar disc and thoracolumbar strain. Treatment to date has included lumbar magnetic resonance imaging (MRI) and medication. According to the progress report dated 3/19/2015, the injured worker complained of increased low back pain. She reported pain in the low back radiating down the back of her right leg. Physical exam revealed tenderness at the paralumbar and parathoracic region. Authorization was requested for Norco and Flexeril.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Norco 5/325mg quantity 15: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Norco, Opioids.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for Norco, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Norco is not medically necessary.

Flexeril 10mg quantity 30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Flexeril (Cyclobenzaprine).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 63-66 of 127.

Decision rationale: Regarding the request for cyclobenzaprine (Flexeril), Chronic Pain Medical Treatment Guidelines support the use of non-sedating muscle relaxants to be used with caution as a 2nd line option for the short-term treatment of acute exacerbations of pain. Guidelines go on to state that cyclobenzaprine specifically is recommended for a short course of therapy. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the cyclobenzaprine. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. Finally, there is no documentation of failure of first-line treatment options, as recommended by guidelines. In the absence of such documentation, the currently requested cyclobenzaprine (Flexeril) is not medically necessary.