

STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

TITLE 8, DIVISION 1, CHAPTER 4

Subchapter 4. Construction Safety Orders
Article 2. Definitions

Amend Section 1504 to add the following definition within the existing definitions in alphabetical order:

§1504. Definitions.

Side Pull or Side Loading. [No change in text]

Single-User Toilet Facility. A toilet facility with a locking mechanism, controlled by the user, with one toilet, or one toilet and one urinal.

Skip. [No change in text]

NOTE: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.

STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

TITLE 8, DIVISION 1, CHAPTER 4

Amend Section 1526 to read:

§1526. Toilets at Construction Jobsites.

(a) A minimum of one separate toilet facility shall be provided for each 20 employees or fraction thereof of each sex. Such facilities may include both toilets and urinals provided that the number of toilets shall not be less than one half of the minimum required number of facilities.

~~EXCEPTION: Where there are less than 5 employees, separate toilet facilities for each sex are not required provided the toilet facilities can be locked from the inside and contain at least one toilet.~~

EXCEPTIONS:

(1) Where there are less than five (5) employees, one (1) single-user toilet facility designated for all-gender use is sufficient.

(2) Each single-user toilet facility designated for all-gender use counts as one of the required separate toilet facilities if all of the following conditions are met: 1) the total number of toilet facilities provided is in accordance with subsection (a); 2) all single-user toilet facilities are designated for all-gender use, and; 3) all multi-user separate toilet facilities are provided in equal number to each sex.

NOTE: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.

STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

TITLE 8, DIVISION 1, CHAPTER 4

Subchapter 7. General Industry Safety Orders
Group 2. Safe Practices and Personal Protection
Article 9. Sanitation

Amend Section 3361 to add the following definition within the existing definitions in alphabetical order:

§3361. Definitions.

Potable Water. [No change in text]

Single-User Toilet Facility. A toilet facility with a locking mechanism, controlled by the user, with one toilet, or one toilet and one urinal.

Toilet. [No change in text]

NOTE: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.

**STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

TITLE 8, DIVISION 1, CHAPTER 4

Amend Section 3364 to read:

§3364. Sanitary Facilities.

(a) Separate toilet facilities shall be provided for each sex according to the following table:

<i>Number of Employees</i>	<i>Minimum Number of Water Closets*</i>
1 to 15.....	1
16 to 35.....	2
36 to 55.....	3
56 to 80.....	4
81 to 110.....	5
111 to 150.....	6
over 150.....	1 additional for each additional 40 employees or fraction hereof.

*Urinals may be installed instead of water closets in toilet rooms to be used only by men provided that the number of water closets shall not be less than two-thirds of the minimum number of toilet facilities specified. The length of trough urinals to equivalent number of individual urinals shall be based on the following:

<i>Length of Trough Urinal</i>	<i>Equivalent Number of Individual Urinals</i>
24".....	1
36".....	2
48".....	2
60".....	3
72".....	4

EXCEPTIONS:

~~(1) When there are less than five employees, separate toilet rooms for each sex are not required provided toilet rooms can be locked from the inside and contain at least one water closet. (Title 24, Part 5, Section 5-910 (a)(1))~~

STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

TITLE 8, DIVISION 1, CHAPTER 4

(1) Where there are less than five (5) employees, one (1) single-user toilet facility designated for all-gender use is sufficient.

(2) Each single-user toilet facility designated for all-gender use counts as one of the required separate toilet facilities if all of the following conditions are met: 1) the total number of toilet facilities provided is in accordance with subsection (a); 2) all single-user toilet facilities are designated for all-gender use, and; 3) all multi-user separate toilet facilities are provided in equal number to each sex.

(23) Employees engaged in hand-labor operations at agricultural establishments are subject to the sanitation provisions of Section 3457.

NOTE: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.

STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

TITLE 8, DIVISION 1, CHAPTER 4

Subchapter 7. General Industry Safety Orders
Group 3. General Plant Equipment and Special Operations
Article 13. Agricultural Operations

Amend Section 3437 to add the following definition within the existing definitions in alphabetical order:

§3437. Definitions.

Short-handled hand tool. [No change in text]

Single-User Toilet Facility. A toilet facility with a locking mechanism, controlled by the user, with one toilet, or one toilet and one urinal.

Tractor-Mounted Personnel Transport Carriers (PTCs). [No change in text]

NOTE: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.

**STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

TITLE 8, DIVISION 1, CHAPTER 4

Amend Section 3457 to read:

§3457. Field Sanitation.

(b) Definitions.

“Potable water” [No change in text]

“Single-user toilet facility” means a toilet facility with a locking mechanism, controlled by the user, with one toilet, or one toilet and one urinal.

“Toilet facility” [No change in text]

(c) Requirements.

(2) Toilet and handwashing facilities.

(A) Separate toilet facilities for each sex shall be provided for each twenty (20) employees or fraction thereof. One handwashing facility shall be provided for each twenty (20) employees or fraction thereof. ~~Where there are less than five employees, separate toilet rooms for each sex are not required provided toilet rooms can be locked from the inside and contain at least one water closet.~~ Urinals may be installed instead of water closets in toilet rooms to be used only by men provided that the number of water closets shall not be less than two-thirds the minimum number of toilet facilities.

~~Exception: An employer may provide transportation to toilet and handwashing facilities, as an alternative means of compliance if: 1. employees perform field work for a period of less than two (2) hours (including transportation time to and from the field), 2. fewer than five (5) employees in any agricultural establishment are engaged in hand labor operations on any given day, or 3. employees are not engaged in hand labor operations.~~

**STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

TITLE 8, DIVISION 1, CHAPTER 4

EXCEPTIONS:

(1) Where there are less than five (5) employees, one (1) single-user toilet facility designated for all-gender use is sufficient.

(2) Each single-user toilet facility designated for all-gender use counts as one of the required separate toilet facilities if all of the following conditions are met: 1) the total number of toilet facilities provided is in accordance with subsection (c)(2)(A); 2) all single-user toilet facilities are designated for all-gender use, and; 3) all multi-user separate toilet facilities are provided in equal number to each sex.

(3) An employer may provide transportation to toilet and handwashing facilities, as an alternative means of compliance if: 1) employees perform field work for a period of less than two (2) hours (including transportation time to and from the field); 2) fewer than five (5) employees in any agricultural establishment are engaged in hand-labor operations on any given day, or; 3) employees are not engaged in hand-labor operations.

NOTE: Authority cited: Sections 142.3 and 6712, Labor Code. Reference: Sections 142.3, 2441 and 6712, Labor Code.

STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

TITLE 8, DIVISION 1, CHAPTER 4

Subchapter 7. General Industry Safety Orders
Group 16. Control of Hazardous Substances
Article 109. Hazardous Substances and Processes

Amend Section 5192 to read:

§5192. Hazardous Waste Operations and Emergency Response.

(a) Scope, Application and Definitions.

(3) Definitions.

Qualified person: [No change in text]

Single-user toilet facility: A toilet facility with a locking mechanism, controlled by the user, with one toilet, or one toilet and one urinal.

Site safety and health supervisor (or official): [No change in text]

(n) Sanitation at Temporary Workplaces. [No change in text]

(3) Toilet facilities.

(A) A minimum of one separate toilet facility shall be provided for each 20 employees or fraction thereof of each sex. Such facilities may include both toilets and urinals provided that the number of toilets shall not be less than one half of the minimum required number of facilities.

~~EXCEPTION: Where there are less than 5 employees, separate toilet facilities for each sex are not required provided the toilet facilities can be locked from the inside and contain at least one toilet.~~

STANDARDS PRESENTATION
TO
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

TITLE 8, DIVISION 1, CHAPTER 4

EXCEPTIONS:

(1) Where there are less than five (5) employees, one (1) single-user toilet facility designated for all-gender use is sufficient.

(2) Each single-user toilet facility designated for all-gender use counts as one of the required separate toilet facilities if all of the following conditions are met: 1) the total number of toilet facilities provided is in accordance with subsection (n)(3)(A); 2) all single-user toilet facilities are designated for all-gender use, and; 3) all multi-user separate toilet facilities are provided in equal number to each sex.

NOTE: Authority cited: Sections 142.3 and 142.7, Labor Code. Reference: Sections 142.3 and 142.7, Labor Code.